	Approved For Relea	ase 2008/06/05 :	CIA-RDP85B01152R000	700870086-4 بان	3485
	ROUTII	NG AND REC	ORD SHEET		
SUBJECT: (Optional)	<u>ce-Requirements</u>				
FROM STATE OF STATE O			OD&E-0467		25X11
TO: (Officer designation, roo building)		DATE OFFICE INITIAL O	ER'S COMMENTS (Number each	comment to show from who	om I
EXO/OD&E			L For Approv	al	
2				Form 163a	REFERE
D/OD&E		75Jtn Sm	2 3. For Approv	al and	4
			Signatur	е пимп	
5 DDS&T 6E60 HOS			5. For Concur	rence and To	
6.			Signatur		
7 D/LOGS					
8		A 40		1	25X1
10.00					
12.					
13.					
14					
15					
ORM 41 Niuse previous	20-22年1月2日 - 12-22年11日 - 12-22-22年11日 - 12-22-22年11日 - 12-22-22年11日 - 12-22-22年11日 - 12-22-22年11日 - 12-22-22-22年11日 - 12-22-22-22-22-22-22-22-22-22-22-22-22-2				

FORM 610 USE PREVIOUS

OD&E-0467-82 3 September 1982

MEMORANDUM FOR:	Director of Logistics
THROUGH:	Deputy Director for Science and Technology
FROM:	Robert J. Kohler Director of Development and Engineering
SUBJECT:	OD&E Space Requirements
REFERENCE:	Memo for Director of Logistics from Associate Deputy Director for Science and Technology dated 23 April 1982
number of new in and the number o update projects through FY 1984. the net effect o a fact was written.	eference was written, there have been a itiatives and refinements of OD&E programs f people needed to manage them. This as accurately as possible our space needs Included in our current calculations is f space we are to acquire in the or not in consideration when the reference
categories, staf must be provided in FY 1984. Thi feet in FY 1983,	f, contractor, military assignee, who a work space in FY 1983 s will require an additional 8,400 square additional to the space we now have in and the space we will acquire in the and the Credit Union in the next Then we will need another 10,000 square 1984 personnel buildup. Calculations are
of the new perso	buildup is now underway and we expect most onnel to be on board by the middle of calendar we need the 8,400 square feet for the lincreases as soon as possible. In this

25X<u>1</u>

25X1

25X1



25X1

25X1

25X1 25X1

25X1

SUBJECT: OD&E Space Requirements

regard, we understand that about 8,400 square feet will when ODP moves from in late Fall 1982. We ask that this 8,400 square teet in the assigned to OD&E. The amount of space fits our requirement
and the proximity to OD&E management in the would make a great deal of sense. This would assist us greatly in overcoming our immediate space deficits for which there is no anticipated relief until the can be occupied in the Spring of 1983.
4. We expect to accelerate the FY 1984 personnel buildup by "front end loading" as we have in FY 1983 and suggest you plan the acquisition of the additional 10,000 square feet to assure occupancy in the Summer of 1983.
Robert J. Kohler
CONCUR:
Deputy Director for Science and Technology Date 14 Sqit 82

